

(19)



JAPANESE PATENT OFFICE

# PATENT ABSTRACTS OF JAPAN

(11) Publication number: 80119870 A  
(43) Date of publication of application: 27.06.1985

(51) Int. Cl. G11B 20/10

(21) Application number: 56226598  
(22) Date of filing: 30.11.1983

(71) Applicant: SONY CORP  
(72) Inventor: NAKAMURA SHOICHI  
SUZUKI TADAO

## (54) DISC FORM RECORDING MEDIUM


### (57) Abstract:

**PURPOSE:** To reproduce only the 1st digital data such as stereo music without hindrance by an existing disc reproducing device by recording the 2nd digital data such as a still picture data in the direction of end of reproduction of a disc.

**CONSTITUTION:** The stereo music data is recorded to the 1st program area 4 in an information area 5 of the disc 11. A sub-coding signal recorded from the start position 6 of the 1st lead-in track to the maximum lead-out position 7 is the same as that for an existing

compact disc. If the identification data representing the disc on which both the stereo music data and the digital data are recorded in the 1st lead-in track is not decoded, pieces of music are reproduced sequentially after the 1st lead-in track and the 1st lead-out track is reproduced, then the reproducing operation is finished while the recording is regarded as finished.

**COPYRIGHT:** (C)1985,JPO&Japio



# PATENT ABSTRACTS OF JAPAN

(11)Publication number : 60-119670

(43)Date of publication of application : 27.06.1985

(51)Int.Cl.

G11B 20/10

(21)Application number : 58-226598

(71)Applicant : SONY CORP

(22)Date of filing : 30.11.1983


(72)Inventor : NAKAMURA SHOICHI  
SUZUKI TADAO

## (54) DISC FORM RECORDING MEDIUM

### (57)Abstract:

**PURPOSE:** To reproduce only the 1st digital data such as stereo music without hindrance by an existing disc reproducing device by recording the 2nd digital data such as a still picture data in the direction of end of reproduction of a disc.

**CONSTITUTION:** The stereo music data is recorded to the 1st program area 4 in an information area 5 of the disc 11. A sub-coding signal recorded from the start position 6 of the 1st lead-in track to the maximum lead-out position 7 is the same as that for an existing compact disc. If the identification data representing the disc on which both the stereo music data and the digital data are recorded in the 1st lead-in track is not decoded, pieces of music are reproduced sequentially after the 1st lead-in track and the 1st lead-out rack is reproduced, then the reproducing operation is finished while the recording is regarded as finished.



## LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's  
decision of rejection]

[Date of extinction of right]